"Dichiarazione DNSH – Scheda"

CONVENZIONE CONSIP PC DESKTOP WORKSTATION E MONITOR 2 LOTTO 4 - WORKSTATION GRAFICHE]

La sot	toscritta		
Codice fiscale			
Nella sua qualità di:			
V	Image:		
	Procuratore		
Dell'operatore economico		Posdata S.r.l.	

ai sensi e per gli effetti dell'art. 76 del D.P.R. n. 445/2000 consapevole della responsabilità e delle conseguenze civili e penali previste in caso di dichiarazioni mendaci e/o formazione od uso di atti falsi, nonché in caso di esibizione di atti contenenti dati non più corrispondenti a verità e consapevole, altresì, che qualora emerga la non veridicità del contenuto della presente dichiarazione il concorrente decadrà dai benefici per i quali la stessa è rilasciata

DICHIARA

che i prodotti "Lenovo ThinkStation P358 e Lenovo ThinkVision E24-28" rispettano il principio DNSH ("Do No Significant Harm"), ovvero di "non arrecare danno significativo agli obiettivi ambientali", così come espressamente previsto dall'art. 18 comma 4 lett. d) del Regolamento UE 241/2021, che istituisce il "Dispositivo per la ripresa e la resilienza" e all'art. 9 del Regolamento (UE) 2020/852 così come declinato nella circolare n. 33 del 13 ottobre 2022 della RGS ovvero concordato con la medesima.

A tal fine, viene prodotta la check-list contenente gli elementi di controllo definiti nella scheda 3 "Acquisto, Leasing e Noleggio di computer e apparecchiature elettriche ed elettroniche" di cui alla Circolare RGS n.33 del 13 ottobre 2022 della RGS ovvero concordato con la medesima.

		Scheda - Acquisto di apparecchiature elettriche ec	d elettroniche						
	Verifiche e controlli da condurre per garantire il principio DNSH								
Tempo di svolgimento delle verifiche	n.	Elemento di controllo	Esito (Sì/No/Non applicabile)	Commento (obbligatorio in caso di N/A)					
	1	E' disponibile l'iscrizione alla piattaforma RAEE in qualità di produttore e/o distributore e/o fornitore?	SI						
	2	I prodotti elettronici acquistati sono dotati di un'etichetta ambientale di tipo I, secondo la UNI EN ISO 14024, ad esempio TCO Certifiec EPEAT 2018, Blue Angel, TÜV Green Product Mark o di etichetta equivalente)	, SI	TCO certified, EPEAT Silver					
	In caso di assenza di un etichetta ambientale di tipo I dovranno essere verificati i requisiti seguenti al posto del punto 2								
	3	L'AEE è dotata di Etichetta EPA ENERGY STAR?	Si						
Ex ante	In alternativa al punto 3, rispondere al punto 3.1								
	3.1	E' disponibile una dichiarazione del produttore che attesti che il consumo tipico di energia elettrica (Etec), calcolato per ogni dispositivo offerto, non superi il TEC massimo necessario (Etec-max) in linea con quanto descritto nell'Allegato III dei criteri GPP UE ?							
	4	Nel libretto d'istruzione sono comprese istruzioni che spieghino come ridurre al minimo il consumo di energia?	SI						
	5	L'offerente rende disponibili le parti di ricambio originali o equivalenti (direttamente o tramite mandatari) per la durata di vita prevista	SI						

Pagina 1 di 5

POSDATA S.r.l.

Via Nicolò Mineo, 10 90145 Palermo Tel. 091.328014 Fax 091.6932011 Via Leonardo da Vinci, 23/G 98039 Taormina (ME) Tel. 0942.28294 Fax 0942.27156 P.IVA 01647390812 REA 237779 Cap. Sociale €. 1.000.000,00 i.v.

http://www.posdata.it info@posdata.it posdata@pec.it



	dell'apparecchiatura, per un periodo di almeno cinque anni oltre al periodo di garanzia?						
6	L'offerente fornisce le raccomandazioni per un'adeguata manutenzione del prodotto, comprese informazioni sulle parti di ricambio che possono essere sostituite, consigli per la pulizia?	SI					
7	Nel caso di server e prodotti di archiviazioni dati, è disponibile la dichiarazione dei produttori/fornitori di conformità alla seguente normativa: ecodesign (Regolamento (EU) 2019/424)?	SI					
8	Nel caso di computer fissi e display, è presente la marcatura di alloggiamenti e mascherine di plastica secondo gli standard ISO 11469 e ISO 1043?	SI					
9	 Nel caso di fornitura di apparecchiature TIC ricondizionate/rifabbricate, è disponibile una delle certificazioni di sistema di gestione seguente: ISO 9001 e ISO 14001 / regolamento EMAS (certificazione di sistema di gestione disponibile sotto accreditamento – il campo di applicazione della certificazione dovrà riportare lo specifico scopo richiesto); EN 50614:2020 (qualora l'apparecchiatura sia stata precedentemente scartata come rifiuto RAEE, e preparata per il riutilizzo per lo stesso scopo per cui è stata concepita)? 	N/A	Non applicabile in quanto non si tratta di fornitura di apparecchiature TIC ricondizionate o rifabbricate.				
10	E' disponibile una dichiarazione del produttore/fornitore di rispetto della seguente normativa: REACH (Regolamento (CE) n.1907/2006); RoHS (Direttiva 2011/65/EU e s.m.i.); Compatibilità elettromagnetica (Direttiva 2014/30/UE e s.m.i.)?	SI					
11	Sono state indicate le limitazioni delle caratteristiche di pericolo dei materiali che si prevede utilizzare (Art. 57, Regolamento CE 1907/2006, REACH)?	N/A	Non applicabile in quanto non si tratta di fornitura di sostanze chimiche né di sostanza intermedie				
	Alle apparecchiature per stampa, copia, multifunzione e servizi di Print&Copy si applica un requisito trasversale						
12	E' verificata la conformità alle specifiche tecniche e clausole contrattuali dei Criteri ambientali minimi "Affidamento del servizio di stampa gestita, affidamento del servizio di noleggio di stampanti e di apparecchiature multifunzione per ufficio e acquisto o il leasing di stampanti e di apparecchiature multifunzione per ufficio, approvato con DM 17 ottobre 2019, in G.U. n. 261 del 7 novembre 2019" ?	N/A	Non applicabile in quanto non si tratta di apparecchiature per stampa, copia, multifunzione e servizi di Print&Copy.				

Firma digitale¹ del legale rappresentante/procuratore² Marina Noto

Via Nicolò Mineo, 10 90145 Palermo Tel. 091.328014 Fax 091.6932011 Via Leonardo da Vinci, 23/G 98039 Taormina (ME) Tel. 0942.28294 Fax 0942.27156 P.IVA 01647390812 REA 237779 Cap. Sociale €. 1.000.000,00 i.v.

http://www.posdata.it info@posdata.it posdata@pec.it



Pagina 2 di 5

¹ Per gli operatori economici italiani o stranieri residenti in Italia, la dichiarazione deve essere sottoscritta da un legale rappresentante ovvero da un procuratore² del legale rappresentante, apponendo la firma digitale. Per gli operatori economici stranieri non residenti in Italia, la dichiarazione può essere sottoscritta dai medesimi soggetti apponendo la firma autografa ed allegando copia di un documento di identità del firmatario in corso di validità.

² Nel caso in cui la dichiarazione sia firmata da un procuratore del legale rappresentante deve essere allegata copia conforme all'originale della procura oppure nel solo caso in cui dalla visura camerale dell'operatore economico risulti l'indicazione espressa dei poteri rappresentativi conferiti con la procura, la dichiarazione sostitutiva resa dal procuratore/legale rappresentante sottoscrittore attestante la sussistenza dei poteri rappresentativi risultanti dalla visura.

APPENDICE: VINCOLI DNSH

Obiettivo: Mitigazione del cambiamento climatico

Criticità: Inefficienza energetica di prodotti elettronici di per sé molto energivore con conseguente produzione di emissioni di gas climalteranti.

Al fine di garantire il rispetto del principio DNSH connesso con la mitigazione dei cambiamenti climatici e la significativa riduzione di emissioni di gas a effetto serra, dovranno essere adottate tutte le strategie disponibili per l'acquisto di prodotti elettronici in linea con l'obbiettivo di contenere le emissioni GHG.

Elementi di verifica ex ante

• I prodotti elettronici acquistati sono dotati di un'etichetta ambientale di tipo I, secondo la UNI EN ISO 14024, ad esempio TCO Certified, EPEAT 2018, Blue Angel, TÜV Green Product Mark o di etichetta equivalente.

In alternativa è ammissibile uno dei seguenti elementi:

- Etichetta EPA ENERGY STAR;
- Dichiarazione del produttore che attesti che il consumo tipico di energia elettrica (Etec), calcolato per ogni dispositivo offerto, non superi il TEC massimo necessario (Etec-max) in linea con quanto descritto nell'Allegato III dei criteri GPP UE.
- L'offerente deve assicurarsi che nel libretto d'istruzione siano comprese istruzioni che spieghino come ridurre al minimo il consumo di energia.

Obiettivo: Adattamento ai cambiamenti climatici (Non pertinente)

Obiettivo: Uso sostenibile e protezione delle acque e delle risorse marine (Non pertinente)

Obiettivo: Economia circolare

Criticità: I materiali delle componenti utilizzate per la realizzazione del prodotto risultano difficilmente riciclabili; eccessiva produzione di rifiuti e gestione inefficiente degli stessi.

Le apparecchiature elettroniche acquistate, noleggiate e prese in leasing devono essere in linea con gli standard più aggiornati in termini di durabilità, riutilizzabilità, riciclabilità e corretta gestione dei rifiuti. La fase di progettazione del prodotto considera l'impatto ambientale durante il suo intero ciclo di vita facilitando il miglioramento delle prestazioni ambientali in modo economicamente efficace, anche in termini di efficienza delle risorse e dei materiali, e quindi contribuisce ad un uso sostenibile delle risorse naturali.

Elementi di verifica ex-ante

POSDATA S.r.l.

Via Nicolò Mineo, 10 90145 Palermo Tel. 091.328014 Fax 091.6932011 Via Leonardo da Vinci, 23/G 98039 Taormina (ME) Tel. 0942.28294 Fax 0942.27156 P.IVA 01647390812 REA 237779 Cap. Sociale €. 1.000.000,00 i.v.

http://www.posdata.it info@posdata.it posdata@pec.it



Pagina 3 di 5

- Iscrizione alla piattaforma RAEE in qualità di produttore e/o distributore e/o fornitore;
- Etichetta ambientale di tipo I, secondo la UNI EN ISO 14024, che verifichi l'allineamento con il principio di non arrecare danno significativo all'economia circolare (es: EPEAT, Blauer Engel, TCO Certified o altra etichetta equivalente).

In assenza di tale etichetta, è richiesto l'elemento di verifica seguente:

- Nel caso di server e prodotti di archiviazioni dati, dichiarazione dei produttori/fornitori di conformità alla seguente normativa: ecodesign (Regolamento (EU) 2019/424);
- Nel caso di computer fissi e display, marcatura di alloggiamenti e mascherine di plastica secondo gli standard ISO 11469 e ISO 1043.

Nel caso di fornitura di **apparecchiature TIC ricondizionate/rifabbricate** dovrà essere fornita una delle certificazioni di sistema di gestione seguente:

- ISO 9001 e ISO 14001/regolamento EMAS (certificazione di sistema di gestione disponibile sotto accreditamento il campo di applicazione della certificazione dovrà riportare lo specifico scopo richiesto);
- EN 50614:2020 (qualora l'apparecchiatura sia stata precedentemente scartata come rifiuto RAEE, e preparata per il riutilizzo per lo stesso scopo per cui è stata concepita).
- L'offerente deve garantire la disponibilità di parti di ricambio originali o equivalenti (direttamente o tramite mandatari) per la durata di vita prevista dell'apparecchiatura, per un periodo di almeno cinque anni oltre al periodo di garanzia;
- L'offerente deve fornire raccomandazioni per un'adeguata manutenzione del prodotto, comprese informazioni sulle parti di ricambio che possono essere sostituite, consigli per la pulizia;

Obiettivo: Prevenzione e riduzione dell'inquinamento

Criticità: I materiali delle componenti utilizzate per la realizzazione del prodotto contengono sostanze inquinanti

Nella costruzione non potranno essere utilizzati componenti, prodotti e materiali contenenti sostanze estremamente preoccupanti.

Elementi di verifica ex-ante

• Etichetta ambientale di tipo I, secondo la UNI EN ISO 14024, che verifichi l'allineamento con il principio di non arrecare danno significativo alla prevenzione e riduzione dell'inquinamento (es: EPEAT, Blauer Engel, TCO Certified, o altra etichetta equivalente)

Pagina 4 di 5

In assenza di tale etichetta, sono richieste:

POSDATA S.r.l.

Via Nicolò Mineo, 10 90145 Palermo Tel. 091.328014 Fax 091.6932011 Via Leonardo da Vinci, 23/G 98039 Taormina (ME) Tel. 0942.28294 Fax 0942.27156 http://www.posdata.it info@posdata.it posdata@pec.it



 La conformità delle apparecchiature è verificata tramite una dichiarazione del produttore/fornitore di rispetto della seguente normativa: REACH (Regolamento (CE) n.1907/2006); RoHS (Direttiva 2011/65/EU e s.m.i.); Compatibilità elettromagnetica (Direttiva 2014/30/UE e s.m.i.)

Obiettivo: Protezione e ripristino della biodiversità e degli Ecosistemi (Non pertinente)

POSDATA S.r.l.

Via Nicolò Mineo, 10 90145 Palermo Tel. 091.328014 Fax 091.6932011 Via Leonardo da Vinci, 23/G 98039 Taormina (ME) Tel. 0942.28294 Fax 0942.27156

P.IVA 01647390812 REA 237779 Cap. Sociale €. 1.000.000,00 i.v.

Pagina 5 di 5

http://www.posdata.it info@posdata.it posdata@pec.it





Lenovo - ThinkStation P358 Tower

Specifications	
ENERGY STAR Unique ID:	2395734
Brand Name:	Lenovo
Model Name:	ThinkStation P358 Tower
Model Number:	30GL
Туре:	Workstation
Workstations: Processor Brand:	AMD
Workstations: Processor Name:	Ryzen 9 PRO 5945
Workstations: Operating System Name:	Windows 11, Windows 10, Ubuntu
Workstations: Base Processor Speed Per Core (GHz):	3.0
Workstations: System Memory (GB):	128
Workstations: Hard Drives (count):	3
Workstations: Off Mode (watts):	0.6
Workstations: Sleep Mode (watts):	1.4
Workstations: Long Idle (watts):	49.8
Workstations: Short Idle (watts):	51.7
Workstations: Weighted Power of Model (watts):	28.6
Sleep Mode Default Time Upon Shipment (min.):	25
Display Sleep Mode Default Time Upon Shipment (min.):	10
WOL (Wake on LAN) From Sleep:	Shipped Enabled Under All Conditions
Will the Speed of Any Active 1 GB/s or Higher Ethernet Network Links be Reduced to Less Than 1 GB/s When Transitioning to Sleep or Off Mode?:	Yes
Ethernet Capability:	Yes
Date Available On Market:	2022-07-29
Date Certified:	2022-05-11
Markets:	United States, Switzerland, Taiwan, Japan, Canada
ENERGY STAR Certified:	Yes

Additional Model Information

ThinkStation P358 Tower, 30GK, 30GL, 30GM, 30GN;

UPC Codes

Captured On: 12/13/2022



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes **Desktop/All-in-One Computers**

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brand * Lenovo		Logo		
Company name *	ompany name * Lenovo				
Contact information * Lenovo Global Environmental Affairs			a n o v o		
e-mail address Alvin L Carter			LEIIOVO		
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html			
Additional information	tion The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statement	nts given in this declaration.				
Type of product *	WS				
Commercial name *	ThinkStation P358 Tower				
Model number *	30GL, 30GK, 30GN, 30GM				
Issue date *	2022/5/30				
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products

Model number *		30GL, 30GK, 30GN, 30GM	Logo	onc		
Issue date *		2022/5/30		Lenc		Этн
Product	environ	mental attributes - Legal requirements	I	Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\square		
P1.2*	Products Commer	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\square		
P1.3*	Products hydrobro trichloroe concentr	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachle ethane, methyl bromide (see legal reference). Comment: Legal reference has no ma ration values.	oride, 1,1,1- aximum			
P1.4*	Products terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl /l (PCT) in preparations (see legal reference).	orinated	\square		
P1.5*	Products chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	on atoms in the			
P1.6*	Parts wit (see lega Commer	th direct and prolonged skin contact do not release nickel in concentrations above 0, al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5µg/cm²/week	\square		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail o ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	\square		
P2	Batterie	S				
P2.1*	If the pro symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with th Information on proper disposal is provided in user manual. (See legal reference)	he disposal	\square		
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm e)	ium. (See legal	\square		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The proc The Dec	duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at: <u>https://www.lenovo.com/us/en/complian</u>	al reference). <i>ce/eu-doc</i>	\square		
P3.2*	The proc	duct complies with the Eco design requirements for energy-related products, al reference).		\square		
	Required	d information is; given in item P15 or added to this document,		\square		
DC	Dueslass		co-declaration			
P5 1*	Product	packaging components do not contain more than 0.01% load more in	v codmium or			
F0.1	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur	y, caumium ar			
P5.2*	The pack used (se	kaging materials are marked with abbreviations and numbers indicating the nature o e legal reference).	of the material(s)		
P5.3*	The proc (see lega Commer	duct packaging material is free from ozone depleting substances as specified in the al reference). nt: Legal reference has no maximum concentration values.	Montreal Protoc	col 🔀		
P6	Treatme	nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		30GL, 30GK, 30GN, 30GM	Logo			
Issue date *		2022/5/30		Len		Отн
Product	t environ	mental attributes - Market requirements (See General NOTE GN below	V)			
	- Enviro	nmental conscious design		Require	ment	met
Item	*=mandal	fory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7 1*	Parts tha	t have to be treated senarately are easily senarable				
P7.2*	Plastic m	aterials in covers/housing have no surface coating.			╞	╞
P7.3*	Plastic p	$arts > 100 \alpha$ consist of one material or of easily separable materials.			⊢⊢	╶┤╴
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			H	H
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		H	H
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			H	H
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives					
P7.8*	Upgrading can be done using commonly available tools					
P7.9	Spare parts are available after end of production for: 5 years					Ħ
P7.10	Service i	s available after end of production for: 5 years				Ħ
	Material	and substance requirements				
P7.11*	Product of	cover/housing material type (e.g. plastics, metal, aluminum):				
	Material	type: ABS Material type: Materia	al type:			
P7.12	Insulation	n materials of external electrical cables are PVC free.			\square	
P7.13	Insulation	n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14	External weight (1 polyvinyl more tha	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame r chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine n 25% post-consumer recycled content	omine and 0,1% etardants, and e in parts contair	ning		
P7.15	Printed c as define	ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g d in IEC 61249-2-21. (See 1NOTE B2)	are low haloger	ו 🗌	\square	
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >ABS <		\square		
P7.17	Alt. 1: Ch	nemical specifications of flame retardants in printed circuit boards > 25 g (without c A (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #: 79-94	omponents): -7	\boxtimes		
	<u>Alt. 2: </u> Ch accordine	nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4:	ents) > 25 g			
P7.18	Alt. 1: Fla concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: "	preparations in			
	<u>Alt. 2: </u> Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	-3-4:			\square
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above $0,1\%$ are used which	n have been			
	assigned	the following Risk phrases; and Hazard statements:				
D7 00t	The sour	ce(s) for these classifications is/are found at (add URL(s)):	ee note B5)			
F 1.20	If YES; a a) Of t a pe or b) The	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 33.51%. weight of recycled material is 247.1 g.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	30GL, 30GK, 30GN, 30GM	Logo	
Issue date *		Lei Iovo.	
Product environm	Requirement me		

Item

Requirement met Yes No n.a.

	Material and substance requirements (continued)						
P7.21*	Biobased plastic	material content is used	I in the product (See N	OTE B7):			
	If YES; at least or a) Of total plast total plastic l	ne of the two alternative ic parts' weight > 25 g, by weight) is %.	es below shall be answ the biobased plastic n	ered; naterial content (calcula	ted as a percentage of		
	or b) The weight of	of the biobased plastic r	naterial is g.				
P7.22*	Light sources are	free from mercury, i.e.	less than 0,1 mg/lamp				
	If mercury is used	l specify: Number of lar	nps: and maxim	num mercury content pe	er lamp: mg		
P8	Batteries						
P8.1*	Battery chemical	composition:					
P9	Energy consum	otion (See NOTE B8)		and the second			
P9.1	For the product th	e following power level	s or energy consumpti	ons are reported:			
Energy mod	ue	100 V AC	115 V AC	230 V AC	modes and test method *		
Peak (On-r	max)	W	W	W	Full load		
Category	L						
Short Idle Enabled	State - WOL	51.74 W	51.67 W	50.52 W	Use for ENERGY STAR V8 registration (P _{idle})		
Long Idle S Enabled	State - WOL	50.01 W	49.76 W	49.55 W	Use for ENERGY STAR V8 registration (P _{idle})		
Sleep (S3)	- WOL Enabled	1.43 W	1.42 W	1.37 W	Use for ENERGY STAR V8 registration (P _{sleep})		
Off (S5) - V	VOL Enabled	0.62 W	0.62 W	0.67 W	Use for ENERGY STAR V8 registration (P _{off})		
Off (S5) - V	VOL Disabled	W	W	0.61 W	Use for ErP		
EPS NO-IO2 (External power si wall outlet but disc	ad upply / charger plugged in the connected from the product)	VV	VV	VV			
PTEC *	eray Consumption	28.67 W	28.6 W	28.14 W			
ETEC * Annual Ene	ergy Consumption	kWh/year	kWh/year	kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.45 + P _{sleep} x 0.05 + P _{long_idle} x 0.15+ P _{short idle} x 0.35)		
External D		Poff: Off Mode(S	5) - WOL Enabled; Psleep	s: Sleep Mode(S3) - WOL	Enabled; P idle: Idle State - WOL Enabled		
External Po		icy Level (internationa	Eniciency Marking Pr				
Display res	olution * : N/A me	gapixels					
Default time	e to enter energy s	ave mode: 25 minutes					
P9.2* Information about the energy save function is provided with the p			product.				
P9.3	Energy efficiency	class (monitors only):					
P10	Emissions						
D10.4	Noise emission	 Declared according to 	ISO 9296 (See NOTE	B9)			
P10.1				statistical upper limi	I A-weighted sound power level, LWA,c (B)		
	Operation			* 4			
				4			
	Other mode	Declared A-weighted sound	d pressure level (dBL)(A)	20 (operator position	n desktop – idle) n desktop – HDD operating \		
	Maggured aggerd	pectated A-weighted sound pressure level (dbL)(A) 30 (operator position desktop – HDD operating)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Other (only if not covered by ECMA-74)			
	Other	(only if not covered by ECMA-74)	

Model number *		30GL, 30GK, 30GN, 30GM				Long				
Issue date *		2022/05/30				LEHOVO				
Product	environn	nental attributes	- Market requirements (c	continued)		Require	Requirement me			
Item			· · · · ·			Yes	No	n.a.		
	Electron	nagnetic emission	S							
P10.4	Compute program	er display meets the (s):	requirement for low frequenc	y electromagnetic field	s of the following volunta	ary		\square		
P12	Ergonor	nics for computing	g products							
P12.1*	The disp	lay meets the ergor	omic requirements of ISO 92	41-307 for visual displa	ay technologies.			\square		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.						\square			
P13	Packagi	ng and documenta	tion							
P13.1*	Product Product Product	packaging material packaging material packaging material	type(s): <i>Cardboard</i> weight type(s): <i>EPE</i> weight type(s): <i>PE</i> weight (kg): 0.05	(kg): 1.155 (kg): 0.317 4						
P13.2*	Product plastic primary packaging is free from PVC.					\square				
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-									
P13.4*	Specify media for user and product documentation (tick box):									
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:									
	Totally c Element Process	hlorine-free al chlorine-free ed chlorine-free								
P14	Volunta	ry programs								
P14.1	The proc ENERG Eco-labe Eco-labe	luct meets the requi Y STAR® II: EPEAT	rements of the following volur Criteria version: 8.0 Criteria version: 2018 Criteria version:	ntary program(s): Date: 2022/1/17 Date: 2022/02/22 Date:	Product category: Wor Product category: Wor Product category:	rkstation rkstation				
P15	Addition	al information (Se	e NOTE B10)		· · · · · · · · · · · · · · · · · · ·					
P9	Energy	consumption of sp	ecific configuration may va	ry; description of the	tested product config	uration:				
	NOTE: S informati knowled provided informati	Supplier makes no re on contained in this ge available at the ti here is approximate on.	epresentations, guarantees, a document. All information pro me of completion, and suppli- e and provided for information	ssurances or warrantie ovided by supplier in th er shall have no obligat al purposes only. See	s whether express or im is document is provided tion to update such infor a Lenovo Account Repr	plied, regardin based on sup mation. The ir esentative for	ng the plier's nforma more	tion		
P9	See Ene http://ww	rgy Star Qualified N w.energystar.gov/in	otebooks & Tablet Computers dex.cfm?fuseaction=find_a_p	s for the latest informat product.showProductG	ion: roup&pgw_code=CO					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * S pecific exemptions apply for certain products and a p p l i c a t i o n s.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or a c c u m u l a t.o r	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and of fice equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulatio(nEC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkStation P358 Tower	Logo
Model Number	30GL, 30GK, 30GN, 30GM	Lonovo
Issue Date	2022/05/30	LEIIOVO
Additional information		

P7.1.1	Product environmental attributes				
(d)	year of manufacture:				2022
(e)	Etec value (kWh) per ErP Lot 3 Categor	y and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
	disabled and if the system is tested with	r switchable graphics r		g the display.	
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjus	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]				
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
adjustme ring tes	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test re	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);			•	50.65
(h)	Sleep mode power demand (Watts);				NA
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.34
(j)	Off mode power demand (Watts);				NA
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.61
(I)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100	% of rated output pow	er (if applicable):	
	PCK010-EL1G: 10% 90.72% 20% 92.5	57% 50% 93.57%	100% 90.38% Avera	age 92.17%	
	HK600-11PP: 10% 90.34% 20% 93.03	3% 50% 92.35% 10	00% 89.32% Averag	e 91.57%	
	PA-3751-1VA-ROHS: 10% 85.35% 20	% 93.34% 50% 93.	15% 100% 90.57%	Average 92.35%	
	HK850-53PP: 10% 90.04% 20% 92.73	3% 50% 92.44% 10	00% 89.71% Averag	e 91.63%	
	PCK023-EL1G: 10% 86.72% 20% 88.9	93% 50% 90.76%	100% 88.24% Avera	age 89.31%	
(m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: N/A				
	*internal note: show values for all available external po	ower supplies			

(o)	Minimum number of loading cycles t	hat the batteries can withstand (applie	s only to notebook computers):	N/A
(p-1)	Measurement methodology used to Generalized Test Protocol for Ca	determine information mentioned in po alculating the Energy Efficiency of I Supplies Revision 6.6	bints (I) – internal PSU efficiency: Internal Ac-Dc and Dc-Dc Power	
(p-2)	Measurement methodology used to	determine information mentioned in po N/A	oints (m) – external PSU efficiency:	
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: <u>N/A</u>			
(p-4)	Measurement methodology used to a power as defined in Point P9.1 in the	determine information mentioned in mage Product IT Eco Declaration:	aximum, idle, sleep, off mode	
		IEC 62623 Ed. 1.0, 2012-10		
(q)	Sequence of steps for achieving a st	able condition with respect to power d	lemand:	
	Based on user m	nanual/Power on->Wait 5 minutes->:	Stable condition	
(r)	Description of how sleep and/or off n	node was selected or programmed:		
	Based o	n user manual-Set power button be	haviors	
	Set power button beha	viors		
	You can define what the power bu power button, you can turn off the	atton does according to your preferen a computer or put the computer to sle	ice. For example, by pressing the ep or hibernation mode.	
	To change what the power button	does:		
	1. Go to Control Panel and view	v by large icons or small icons.		
	2. Click Power Options \rightarrow Cho	ose what the power buttons do.		
	3. Change the settings as you p	refer.		
(s)	Sequence of events required to reac	h the mode where the equipment auto	omatically changes to sleep and/or	
	Based on user manual/Control F	Panel->Power Options-> Change Set for this plan	ttings-> Restore default settings	
(t)	Duration of idle state condition be	fore the computer automatically rea	aches sleep mode, or another	25
(u)	Length of time after a period of us	er inactivity in which the computer	automatically reaches a power	NA
(v)	Length of time before the display	and requirement than sleep mode (in r sleep mode is set to activate after us	minutes): ser inactivity (in minutes):	10
(w)	Information on the energy-saving po	tential of power management function	ality:	
		Based on user manual		
(x)	User information on how to enable the	ne power management functionality:		
		Based on user manual		
(z)	Test parameters for measurements: the electricity supply system, — infor used for electrical testing:	— test voltage in V and frequency in I rmation and documentation on the inst	Hz, — total harmonic distortion of trumentation, set-up and circuits	
	Test vo	Itage in V and frequency in Hz: 230	V/50Hz	
	Total har	monic distortion of the electricity supp	bly sy∰a∰m:	
	Instrument Name	Range Used or ******	Make and Model**	
	AC Power Source	1~300VAC;1~550Hz; 1000VA	NF; EC1000S	
	Power Meter	1~500V;0~20A	YOKOGAWA; WT310	
	Digital Watch	Full Range	CASIO; HS-70W	
	Ambient Monitor	-10~60℃; 0~100&RH	Testo; 622	
	Anemometer	0~20m/s	Testo; 425	
Additio	nal Notebook Battery Information	1:		

	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
	The battery[ies] in this product cannot be easil replaced by users themselves. ¹⁾	y	
Internal/built-in Battery			
External/detachable Battery			
Bios Backup Battery	\boxtimes		
Other:			
Additional information	•	•	•

., The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Výměnu baterias de este producto no pueden ser sustituídas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

1)

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lieotaji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji fdan il-prodott ma listax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byfa ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

Lenovo (Singapore) Pte. Ltd. 151 Lorong Chuan, #02-01, New Tech Park, Singapore, 556741 (Tel - 65-6827-1000 & Fax- 65-6827-1100))

EU Declaration of Conformity

For the ThinkStation P3558 Tower Series Workstation Computer Machine Type: 30001, 3003%, 3000N, 30GM

We, Lenowo (Singapore) Pre Ltd, declare under sole responsibility that the above products, manufactured for:

Lenovo PC HK Limited. 23//F, Lincoln House, Taikoo Place 979 King's Road, Quarry Bay, Homg Kong

to which this declaration relates, is in conformity with the requirements of the following EU Directives:

- Directive 2014/553/EU on the harmomisation of the laws of the Member States relating to the making available on the market of radio equipment.
- Directive 2009/128/E/CC establishing a framework/for the setting of Ecodesign requirements for Energy-related products.
- Council Directive 2011/633/EU on the restriction of the use of certain hazardouss substances in electrical and electronic expuipment as a memded by Directive 2015/68637/EU.

The conformity assessment procedure referred to in Article 177.44a of Directive 20114/5537EUnlassbeen followed and performed with the involvement of a Notified Body, in accordance with Article 32:

Notiifized Boody Name/number : Nemko Nonth America Junc.//16222 Issued the EU-type examinationcertificate 10/222-RBD0-66655958

The Technical Documentation (TD), relevant to the product described above and which support this DoC is available from the EU contact address on this DoC.

Signed:

Date: 24th June 2022

Joseph Chua (Executiive Director)) Place of issue: Lenowo (Singapore) Pte Ltdl.

European Contact for regulatoryytopistsoothiy: Lenovo (Slovakia), Landererova 12, 811 09 Bratislava, Slovakia Tel: +421 2 6868 3018 Lenovo (Singaporæ)) Pte. Littl. 151 Loromg Chuam, #02-01, New Treath Park, Singaporæ, 5567441 (Tel - 65-6827-10000 & Fax- 65-6827-11000))

Standards References

The following harrowick datated scharter broching is a content of the reference of the refe

RE Directive					
Antiidhe 3.0((a))	EN 62368-1	:	2014+A1	1:2017	1
(Safety & Health))	EN IEC62311	:	2020		1
Artiid捷 3.以(け) (EMC)	EN 55032	:	2015+A1	202020	1
	EN IEC 61000-3-2	:	2019+A1	20021	1
	EN 61000-3-3	:	2013+A1	:2019	1
	EN 55035	:	2017+A1	112020	1
	EN 3014899-1		V2.2.3	2019-11	1
	EN 301448933	22	V2.1.11	2019-03	1
	EN 301 489-17		V3.2.4	2020-09	1

					Wireless module inside
			WLAN with Bluetooth		
Artiide 3322	EN 300 328	V2.2.2	2019-07	1	
(Radio Spectrum))	EN 3018993	V2.1.1	2017-05	1	
	EN 300 440	V2.2.1	2018-07	1	

RoHS Directive	EN 50581:200122	EN IEC 63000:2018	1
ErP Directive	EC 617/20013 ErP -	- Class B	1

Wirelessmodules

Wireless modulæinside	MODEL
WLAN with Bluetooth	MT7921

European Contautt for regulatoryytopisissolyty: Lenovo (Slovakia), Landererova122,8811 09 Bratislava, Slovakia Tel: +421 2 6868 3018



Lenovo Accessibility Conformance Re Revised Section 508 Edition

VPAT[®] Version 2.3 – December 2018

Name of Product/Version: ThinkStation P358 (TWR)

Product Description: Workstation computer

See OS VPAT for operating system information on appropriate manufacturer's website. See software VPATs for software vertices of the set of the

Date: 30 September 2022

Contact information: compliance@Lenovo.com

Evaluation Methods Used:

Manual testing is performed on hardware products using a number of different tools to evaluate access by users with disabili brightness, contrast, color chromaticity tools are used to ensure contrast, a force gauge is used to evaluate key button force. operation is evaluated alongside stylus and other tools that are used to evaluate use without tight pinching or grasping. Mea used to measure operable controls while audio meters are used to measure volume and gain. Connection ports are evaluate connection points are available. Any transducers designed to be held to the ear are evaluated by an outside laboratory for co coupling standards. Additional tests are performed based on applicable features of the product.

Page **1** of **12**

[&]quot;Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Repo
Web Content Accessibility Guidelines 2.0, at <u>http://www.w3.org/TR/2008/REC-</u>	Level A (No
<u>WCAG20-20081211/</u>	Level AA (No
	Level AAA (N
Revised Section 508 standards as published by the U.S. Access Board in the Federal	
Register on January 18, 2017	(Ves)
Corrections to the ICT Final Rule as published by the US Access Board in the Federal	(183)
Register on January 22, 2018	

Terms

The terms used in the Conformance Level information are defined as follows:

- Supports: The functionality of the product has at least one method that meets the criterion without
 equivalent facilitation.
- **Partially Supports**: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in

Page **2** of **12**

Revised Section 508 Report

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Rem Exp
302.1 Without Vision. Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that does not require user vision.	Supports	Touch disting activat other t audibly the op Functio only ha appear inform other p annour level a:
302.2 With Limited Vision. Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited vision.	Supports	All keys with go on a da to iden keys w
302.3 Without Perception of Color. Where a visual mode of operation is provided, ICT shall provide at least one visual mode of operation that does not require user perception of color.	Supports	Color a meanir

Page **3** of **12**

Criteria	Conformance Level	Rem Exp
302.4 Without Hearing. Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that does not require user hearing.	Supports	When o system applica needeo
302.5 With Limited Hearing. Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited hearing.	Supports	Hardwa contro can be
302.6 Without Speech. Where speech is used for input, control, or operation, ICT shall provide at least one mode of operation that does not require user speech.	Supports	User sp
302.7 With Limited Manipulation. Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that does not require fine motor control or simultaneous manual operations.	Supports	Contro and op minima mobilit
302.8 With Limited Reach and Strength. Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that is operable with limited reach and limited strength.	Supports	Contro and op minima mobilit can be
302.9 With Limited Language, Cognitive, and Learning Abilities. ICT shall provide features making its use by individuals with limited cognitive, language, and learning abilities simpler and easier.	Supports	All keys or char light sy Touch o distingu activati

Page **4** of **12**

Chapter 4: Hardware

-

Criteria	Conformance Level	Rem Exp	
402 Closed Functionality	Heading cell – no response required	Headir	
402.1 General	Heading cell – no response required	Headir	
402.2 Speech-Output Enabled	Heading cell – no response required	Headir	
402.2.1 Information Displayed On-Screen	Not Applicable	Not clo	
402.2.2 Transactional Outputs	Not Applicable	Not clo	
402.2.3 Speech Delivery Type and Coordination	Not Applicable	Not clo	
402.2.4 User Control	Not Applicable	Not clo	
402.2.5 Braille Instructions Not Applicable		Not clo	
402.3 Volume	Heading cell – no response required	Headir	
402.3.1 Private Listening	Not Applicable	Not clo	
402.3.2 Non-private Listening	Not Applicable	Not clo	
402.4 Characters on Display Screens	Not Applicable		
402.5 Characters on Variable Message Signs	Signs Not Applicable		
403 Biometrics	Heading cell – no response required	Headir	
403.1 General. Where provided, biometrics shall not be the only means Supports		Where auther auther	
404 Preservation of Information Provided for Accessibility	Heading cell – no response required	Headir	
404.1 General. ICT that transmits or converts information or communication shall not remove non-proprietary information provided for accessibility or shall restore it upon delivery.	Supports	Access preser	
405 Privacy	Heading cell – no response required	Headir	

Page **5** of **12**

Criteria	Conformance Level	Rem Exp
405.1 General. The same degree of privacy of input and output shall be provided to all individuals. When speech output required by 402.2 is enabled, the screen shall not blank automatically.	Supports	Speech combir screen ensure
406 Standard Connections	Heading cell – no response required	Headin
406.1 General. Where data connections used for input and output are provided, at least one of each type of connection shall conform to industry standard non-proprietary formats.	Supports	The pro ports so assistiv accomr
407 Operable Parts	Heading cell – no response required	Headin
407.2 Contrast. Where provided, keys and controls shall contrast visually from background surfaces. Characters and symbols shall contrast visually from background surfaces with either light characters or symbols on a dark background or dark characters or symbols on a light background.	Supports	All keys or char light sy
407.3 Input Controls	Heading cell – no response required	Headin
407.3.1 Tactilely Discernible. Input controls shall be operable by touch and tactilely discernible without activation.	Supports	Touch distingu activati
407.3.2 Alphabetic Keys. Where provided, individual alphabetic keys shall be arranged in a QWERTY-based keyboard layout and the "F" and "J" keys shall be tactilely distinct from the other keys.	Supports	Keyboa nubs to keyboa can be touchs
407.3.3 Numeric Keys. Where provided, numeric keys shall be arranged in a 12-key ascending or descending keypad layout. The number five key shall be tactilely distinct from the other keys. Where the ICT provides an alphabetic overlay on numeric keys, the relationships between letters and digits shall conform to ITU-T Recommendation E.161 (incorporated by reference, see 702.7.1).	Supports	Numer ascend numeri key has keyboa

Page **6** of **12**

Criteria	Conformance Level	Rem Exp
407.4 Key Repeat. Where a keyboard with key repeat is provided, the delay before the key repeat feature is activated shall be fixed at, or adjustable to, 2 seconds minimum.	Supports	When o an option is provi accomr
407.5 Timed Response. Where a timed response is required, the user shall be alerted visually, as well as by touch or sound, and shall be given the opportunity to indicate that more time is needed.	Supports	When o system display includir
407.6 Operation. At least one mode of operation shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate operable parts shall be 5 pounds (22.2 N) maximum	Supports	Contro and op minima mobilit can be
407.7 Tickets, Fare Cards, and Keycards. Where tickets, fare cards, or keycards are provided, they shall have an orientation that is tactilely discernible if orientation is important to further use of the ticket, fare card, or keycard.	Not applicable	
407.8 Reach Height and Depth	Heading cell – no response required	Headin
407.8.1 Vertical Reference Plane	Not applicable	
407.8.1.1 Vertical Plane for Side Reach	Not applicable	
407.8.1.2 Vertical Plane for Forward Reach	Not applicable	
407.8.2 Side Reach	Not applicable	
407.8.2.1 Unobstructed Side Reach	Not applicable	
407.8.2.2 Obstructed Side Reach	Not applicable	

Page **7** of **12**

Criteria	Conformance Level	Rem Exp
407.8.3 Forward Reach	Not applicable	
407.8.3.1 Unobstructed Forward Reach	Not applicable	
407.8.3.2 Obstructed Forward Reach	Not applicable	
407.8.3.2.1 Operable Part Height for ICT with Obstructed Forward Reach	Not applicable	
407.8.3.2.2 Knee and Toe Space under ICT with Obstructed Forward Reach	Not applicable	
408 Display Screens	Heading cell – no response required	Headin
408.2 Visibility. Where stationary ICT provides one or more display screens, at least one of each type of display screen shall be visible from a point located 40 inches (1015 mm) above the floor space where the display screen is viewed.	Not applicable	
408.3 Flashing. Where ICT emits lights in flashes, there shall be no more than three flashes in any one-second period.	Supports	The use elemer of seizu epileps
409 Status Indicators	Heading cell – no response required	Headin
409.1 General. Where provided, status indicators shall be discernible visually and by touch or sound.	Supports	When o system sound v to dupl exampl Toggle SCROLL the Eas
410 Color Coding	Heading cell – no response required	Headin
410.1 General. Where provided, color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	Color a meanin

Page **8** of **12**

Criteria	Conformance Level	Rem Exp
411 Audible Signals	Heading cell – no response required	Headin
411.1 General. Where provided, audible signals or cues shall not be used as the only means of conveying information, indicating an action, or prompting a response	Supports	When o system applica needec
412 ICT with Two-Way Voice Communication	Heading cell – no response required	Headin
412.2 Volume Gain	Heading cell – no response required	Headin
412.2.1 Volume Gain for Wireline Telephones	Not Applicable	
412.2.2 Volume Gain for Non-Wireline ICT	Supports	When of system control
412.3 Interference Reduction and Magnetic Coupling	Heading cell – no response required	Headin
412.3.1 Wireless Handsets	Not Applicable	
412.3.2 Wireline Handsets	Not Applicable	
412.4 Digital Encoding of Speech	Not Applicable	
412.5 Real-Time Text Functionality	Not Applicable	Reserv
412.6 Caller ID	Not Applicable	
412.7 Video Communication	Not Applicable	
412.8 Legacy TTY Support	Heading cell – no response required	Headin
412.8.1 TTY Connectability	Not Applicable	
412.8.2 Voice and Hearing Carry Over	Not Applicable	
412.8.3 Signal Compatibility	Not Applicable	

Page **9** of **12**

Criteria	Conformance Level	Rem Expl
412.8.4 Voice Mail and Other Messaging Systems	Not Applicable	
413 Closed Caption Processing Technologies	Heading cell – no response required	Headin
413.1.1 Decoding and Display of Closed Captions. Players and displays shall decode closed caption data and support display of captions.	Not Applicable	
413.1.2 Pass-Through of Closed Caption Data. Cabling and ancillary equipment shall pass through caption data.	Not Applicable	
414 Audio Description Processing Technologies	Heading cell – no response required	Headin
414.1.1 Digital Television Tuners	Not Applicable	
414.1.2 Other ICT	Not Applicable	
415 User Controls for Captions and Audio Descriptions	Heading cell – no response required	Headin
415.1.1 Where ICT provides operable parts for volume control, ICT shall also provide operable parts for caption selection.	Not Applicable	
415.1.2 Audio Description Controls. Where ICT provides operable parts for program selection, ICT shall also provide operable parts for the selection of audio description.	Not Applicable	

Chapter 5: Software – see Software VPAT

Notes: This is a hardware VPAT, see software VPAT for OS and other software applications.

Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanation
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required

Page **10** of **12**

Criteria	Conformance Level	Remarks and Explanation	
602.2 Accessibility and Compatibility Features. Documentation shall list and explain how to use the accessibility and compatibility features required by Chapters 4 and 5. Documentation shall include accessibility features that are builtin and accessibility features that provide compatibility with assistive technology.	Supports	Product documentation is available online https://www.lenovo.com/support VPATs are available at https://www.lenovo.com/us/en/complian	
602.3 Electronic Support Documentation. Documentation in electronic format, including Web-based self-service support, shall conform to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1).	Supports	The electronic web-based product docume Level AA Success Criteria and Conformance	
602.4 Alternate Formats for Non-Electronic Support Documentation. Where support documentation is only provided in nonelectronic formats, alternate formats usable by individuals with disabilities shall be provided upon request.	Not Applicable	Documentation is available in electronic fo	
603 Support Services	Heading cell – no response required	Heading cell – no response required	
603.2 Information on Accessibility and Compatibility Features. ICT support services shall include information on the accessibility and compatibility features required by 602.2.	Supports	Lenovo Support provides information on a features. This information is also documen Accessibility Features page <u>https://www.lenovo.com/us/en/lenovo/ar</u>	

Page **11** of **12**

Criteria	Conformance Level	Remarks and Explanation
603.3 Accommodation of Communication Needs. Support services shall be provided directly to the user or through a referral to a point of contact. Such ICT support services shall accommodate the communication needs of	Supports	Lenovo Services provides communications Telecommunications Relay Service (TRS) i deaf or hard of hearing. For support, contact 1-855-2-LENOVO

Lenovo Legal Disclaimer

This document is for informational purposes only. THE INFORMATION PROVIDED IN THIS DOCUMENT IS PROVIDED "AS IS ANY KIND, EXPRESSED OR IMPLIED. Supporting features apply to product families as a whole. The information shall not be for purposes of any warranty of compliance with product specifications in a given contract or order. For information on third part contact the software manufacturer. Lenovo may make changes to the information in this document or to the products described without notice.

Page **12** of **12**



Lenovo DE23074109

PRODUCT LIST II COMPARE = EXPORT RESULTS Ø SHARE			
YEARLY ENERGY 43.4 kWh	CONSUM	PTION PERCENTAGE RECYCLED PLASTIC	TOTAL WEIGHT 4.9 kg
BRAND NAME		Lenovo	
SALES NAME		E24-28	
MODEL NAME		F20238FE0	
RECYCLED PLASTIC	()	85%	
WEIGHT	()	4.9 kg	
TYPICAL ENERGY Consumption (TEC) per Year	()	43.4 kWh	
E_TEC LIMIT	()	45.8 kWh	
EU ENERGY EFFICIENCY IN SDR	DEX:	0.6	
DISPLAY SIZE	()	23.8"	
ASPECT RATIO	(i)	16.9	
MAXIMUM RESOLUTION		1920x1080	
TYPE OF STAND	()	Pivot	
SEPARATE POWER SUPPLY	()	No	
TCO CERTIFIED	()	TCO Certified Edge Displays	
CERTIFICATE NUMBER		DE23074109	
CERTIFICATION DATE		2023-07-26	
CERTIFICATE VALID UNTIL		2023-12-30	
COMMENT		Edge criteria fulfilled: Minimum 85 % recycled plastics;	



Lenovo - E24-** : F20238FE*

Specifications	
ENERGY STAR Unique ID:	2394887
Brand Name:	Lenovo
Model Name:	E24-**
Model Number:	F20238FE*
Product Type:	Monitor
Panel Type:	IPS LCD; VA LCD
Screen Size (inches):	23.8
Screen Area (square inches):	242.18
Native Resolution (pixels):	1080 x 1920
Maximum Luminance (candelas per square meter):	263.5
Total Native Resolution (megapixels):	2.1
Model Features:	None
Signal or Data Interfaces:	Display
Power Source:	Ac to dc internal power supply
Monitor Total Energy Consumption at 115 Volts (kWh/yr):	42.34
On Mode Power (watts):	13.4
Markets:	United States, Switzerland, Taiwan, Japan, Canada
Sleep Mode Power (watts):	0.22
Off Mode Power (watts):	0.21
Tiled Display System:	No
ENERGY STAR Certified:	Yes
ENERGY STAR Most Efficient:	No
Additional Model Information	on

T24s-**,,

UPC Codes

Captured On: 09/25/2023



ECMA/TC38-TG3/2015/026 (Rev. 1 - 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0
Company name *	Lenovo]	
Contact information *	Lenovo Global Environmental Affairs	1	a n o v o
e-mail address	Alvin L Carter		LEIIUVU
	alcarter@lenovo.com		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	n The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the produc conforms to the statements given in this declaration.						
Type of product *	Monitor					
Commercial name *	Lenovo Thinkvision E24-28 / Lenovo L24-28					
Model number *	62B6, 62B8, 66EA, 66EB, 62C7, 62C8					
Issue date *	2020/12/15, updated 2021/11/11, updated 2022/03/04,					
Intended market *	🔀 Global 🗌 🗖 Europe 📄 Asia, Pacific & Japan 📄 Americas 📄 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items fro ECMA-370 Main body are not shown in the template:

P4.1 - P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	umber *	62B6, 62B8, 66EA, 66EB, 62C7, 62C8	Log	0	Lon				
Issue da	te *	2020/12/15, updated 2021/11/11, updated 2022/03/04			Leng	ovc)		
Product	environ	imental attributes - Legal requirements			Require	emen	t met		
Item					Yes	No	n.a.		
P1	Hazard	ous substances and preparations							
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) 🛛								
P1.2*	2* Products do not contain Asbestos (see legal reference).								
P1.3*	Product hydrobi trichlor concen	ts do not contain Ozone Depleting Substances: Chlorofluorocarb romofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Ha oethane, methyl bromide (see legal reference). Comment: Leg- tration values.	oons (CFC), lons, carbonto al reference h	etrachlor las no m	ride, 1,1,1 aximum	L-			
P1.4*	Product terpher	ts do not contain more than; 0,005% polychlorinated biphenyl (nyl (PCT)n preparations (see legal reference).	PCB), 0,005%	polychlo	orinated				
P1.5*	Product chain c	s do not contain more than 0,1% short chain chloroparaffins (S ontaining at least 48% per mass of chlorine in the SCCP (see le	CCP) with 10- gal reference	13 carbo	on atoms	in the	ž		
P1.6*	Parts w (see leg Comme	ith direct and prolonged skin contact do not release nickel in co gal reference). ent: Max limit in legal reference when tested according to EN18	oncentrations 11:2011-5.	abở/were0e	ور ه <mark>اي ال</mark> ه الع		\square		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contac Reacher Character								
P2	Batterie	25							
P2.1*	lf the p symbol	roduct contains a battery or an accumulator, the battery/accum . Information on proper disposal is provided in user manual. (Se	nulator is labe e legal refere	led with nce)	the dispo	s <mark>al</mark>	\square		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See egal X								
P2.3*	Batteries and accumulators are readily removable. (See legal reference)								
P3	Conformity verification & Eco design (ErP)								
P3.1*	The pro The De https://	duct is CE-marked to show conformance with applicable legal r claration of Conformity can be requested at (add link or e-mail a /www.lenovo.com/us/en/compliance/eu-doc	equirements address):	(see lega	al ref <mark>ere</mark> n	ce).			
P3.2*	The pro	oduct complies with the Eco design requirements for energy-rela gal reference).	ated products	,	\boxtimes				
	Require	ed information is; given in item P15 or added to this docun available at (add URL):	nent,		\boxtimes				
	https://	www.lenovo.com/us/en/compliance/eco-declaration							
P5	Product	t packaging	0.010/ lassi		Net '		a al		
P5.1*	hexava	ing and packaging components do not contain more than lent chromium by weight of these together.	0,01% lead,	mercury	, capmin	um a	na		
P5.2*	The pac used (s	eal reference).	indicating the	nature o	of the Ma	terial	(s)		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Mont ell Protocol (see legal reference).								
P6	Treatme	ent information							
P6.1*	Informa	tion for recyclers/treatment facilities is available (see legal refe	erence).						

Page 2 (6)

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu Issue da	umber *	52B6, 62B8, 66EA, 66EB, 62C7, 62C8 2020/12/15, updated 2021/11/11, updated 2022/03/04	Logo	Len	ovo)			
Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design									
Item	*=manda	tory to fill in. Additional information regarding each item may be f	found under P14	. Yes	No	n.a.			
P7	Design Disassen	nbly, recycling							
P7.1*	Parts tha	t have to be treated separately are easily separable		\boxtimes					
P7.2*	Plastic m	aterials in covers/housing have no surface coating.							
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materia	ıls.			Ħ			
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring	ISO 1043-4.						
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed	l with commonly	[,] availa ble t	ools.				
P7.6*	Labels ar	e easily separable. (This requirement does not apply to safety/reg	gulatory labels).		Ē	Ē			
	Product I	ifetime							
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives				\square			
P7.8*	Upgradin	g can be done using commonly available tools				\square			
P7.9	Spare pa	rts are available after end of production for: 5 years							
P7.10	Service is	available after end of production for: 5 years							
	Material	and substance requirements							
P7.11*	Product of	cover/housing material type (e.g. plastics, metal, aluminum):							
D7 1 2	Inculation	Type: ABS Material type: SGCC M	laterial type:						
F7.12	Insulation	a materials of external electrical cables are PVC free.				<u> </u>			
P7.15	Extornal	plactic casing (cover parts > 25 g contain no more than 0.1% weig	(ht/1000 ppm))	romin		<u> </u>			
F7.14	weight (polyvinyl more tha	1000 ppm) chlorine attributable to brominated flame retardants chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (30 n 25% post-consumer recycled content.	s, chlorinated fl 000 ppm) chlori	ame retarc ne in parts	lants, contai	and ning			
P7.15	Printed c as define	ircuit boards, PCBs (without components) are low haloge PCBB > 2 d in IEC 61249-2-21. (See 1NOTE B2)	5 g are low ha	alogen 🗌	\square				
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked accord	ding ISO 1043-4			\square			
P7.17	<u>Alt. 1:</u> Ch	emical specifications of flame retardants in printed circuit boards (additive, TBBPA (reactive) (See NOTE) Other: P , CAS #: 35	> 25 g (without 5948-25-5	componen	ts):				
	<u>Alt. 2:</u> Ch according	emical specifications of flame retardants in printed circuit boards g ISO 1043-4:	(without compo	nents) > 25	ōg ⊠				
P7.18	<u>Alt. 1:</u> Fla concentr 1. Chemi 2. Chemi	ime retarded plastic parts > 25 g contain the following flame retain ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	rdant substance	s/preparati	ons in				
	J. Chemi	La name: , CAS #:	coording ICO 10	42.4.					
P7 10	In plastic	ennical specifications of finally related to the process process of the process	% are used white	h have bee					
17.19	assigned	the following Risk phrases; and Hazard statements:	. /o are used write						
	The sour	ce(s) for these classifications is/are found at (add URL(s)):	(See note B5)					
P7.20*	Postcons	umer recycled plastic material content is used in the product (See	e Note B6):						
	lf YES; at a) Of to a pe or b) The	least one of the two alternatives below shall be answered; Ital plastic parts' weight > 25egpostconsumer recycled plastic mat rcentage of total plastic by weight) is 85%. weight of recycled material is 751 g.	erial content (ca	alculated as		_			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * Issue date *	62B6, 62B8, 66EA, 66EB, 62C7, 62C8 2020/12/15, updated 2021/11/11, updated 2022/03/04	Logo	Lenovo			
Product environmental attributes - Market requirements (continued) Requirement						
ltem		Yes No n.a.				

Material and substance requirements (continued)										
P7.21* Biobased plastic material content is used in the product (See NOTE B7):										
	If YES: at least one of the two alternatives below shall be answered:									
	a) Of total pla	stic parts' weight >	25 g, the biobased p	plastic material cont	ent (calculated as a					
	total plastic	t by weight) is <mark>0</mark> %.								
	or b) The weight	of the biobacod play	stic matorial is O g							
P7 22*	Light sources a	e free from mercury	ie less than 0.1 n	ng/lamp						
1 7.22	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: r									
P8	Batteries		•	• •						
P8.1*	Battery chemica	al composition:								
P9	Energy consum	ption (See NOTE B8)	1							
P9.1	For the product	the following power	levels or energy co	nsumptions are repo	orted:					
Energy m	ode *	Power level at	Power level at	Power level at	Reference/Standardfor energy					
Peak (On-	max)	11 66 W	113 V AC	11 85 W	Full load					
	max)	11.00 W	11.00 W	11.05 W	T un loud					
<u>Categor</u>	<u>y</u> -									
Sleep (S3)) - WOL Enabled	0.17 W	0.18 W	0.26 W	Use for ENERGY STAR V6					
					registration(P _{sleep})					
Off (S5) - 1	WOL Enabled	0.16 W	0.17 W	0.25 W	Use for ENERGY STAR V6					
					registration(P _{off})					
PTFC *		W	W	W						
Typical Er	ergy Consumption	on								
ETEC *		36.73	37.18 kWh/yea	ar 37.81 kWh/year						
Annual En	ergy Consumption	nkWh/year								
External P	ower Supply Effi	l ciency Level (Interna	ational Efficiency Ma	rking Protocol) * :						
Display re	solution * : 19	20 x 1080 mega	apixels	<u> </u>						
Default tir	ne to enter ener	av save mode:	minutes							
PQ 2*	Information abo	ut the energy save t	function is provided	with the product						
P0 3	Energy efficience	at the chergy save		with the product.						
P10	Emissions		iiy). D							
PIU	Noise emission	- Declared according	a to ISO 9296 (See N	JOTE B9)						
P10.1	Mode	Mode description Statistical upper limit A-weighted sound power leveral								
1	Idle *	۰ ۲		*						
	Operation *	* *								
	Other mode Declared A-weighted sound pressure level (dB) (operator position desktop – idle)									
	Other mode	Declared A-weighted sour	nd pressure level (dB) _{pAm}	(operator po	sition desktop – operating					
]	Measured according to: ISO 7779 ECMA-74									
Other (only if not covered by ECMA-74)										
	1		, ,							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecm</u>a-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	62B6, 62B8, 66	EA, 66EB, 62C	7, 62C8			Logo				
Issue dat	e *	2020/12/15, up	dated 2021/11	/11, updated 2022	2/03/04				suo		
Product	environ	mental attribute	es - Market re	quirements (cor	ntinued)			Re	equire	ment	met
Item									Yes	No	n.a.
	Electro	magnetic emission	ons								
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary 🔀										
D10	program(s):										
PI2 D12 1*	Ergono	mics for computi	ng products	viromonto of ISO 0	241 207 for vi	sual dical	av tochn	logios			
P12.1*	The uls	play meets the e	rgonomic requ	inements of 150 9				logies.	<u> </u>	<u> </u>	
P12.2*	The phy	ysical input devic	e meets the re	equirements of 150	J 9995 and 150	9241-41	.0.				
P13	Packag	ing and documer	ntation		. 0. 7						
P13.1*	Product	t packaging mate	erial type(s): Co	PS fronteight (kg)	: 0.7						
	Product	t packaging mate	erial type(s): El	PS backweight (kg)	: 0.26						
P13.2*	Product	t plastic primary	packaging is fi	ree from PVC.					\square		
P13.3*	For pro	duct primary contract of the second s	orrugated fibe er content: 90	rboard packaging	g, specify the	containe	ed percer	ntage of	minin	num į	o <mark>ost</mark> -
P13.4*	Specify media for user and product documentation (tick box):										
P13.5	(Please User ar If Yes, p	only complete the only complet	his item if pape nentation on p	er documentation aper media is chlo	used) prine-free:						
	Totally chlorine-free										
	Elemental chlorine-free										
	Processed chlorine-free										
P14	Volunta	ary programs									
P14.1	The pro	oduct meets the r	requirements o	of the following vo	luntary progra	m(s):					
	ENERG` Eco-lab Eco-lab	Y STAR® Jel: TCO Jel: EPEAT	Criteria vers Criteria vers Criteria vers 2018	ion: 8.0 Date ion: 8.0 Date ion: 1680.1- Date	: 2020/10/28 : 2020/10/28 : 2020/10/28	Product Product Product	category category category	: Displa : Display : Display	ys s s		
P15	Additio	nal information (See NOTE B10)							
P9	Energy	consumption of	specific config	uration may vary;	description of	the teste	d produc	t configu	ration:		
	NOTE: S informa knowle provide	Supplier makes n ation contained ir dge available at d here is approx	o representati n this documer the time of cor imate and prov	ons, guarantees, it. All information mpletion, and sup vided for informat	assurances or provided by su plier shall have ional purposes	warrantie upplier in e no oblig only. See	es whethe this docu ation to u e a Lenov	r express ment is p pdate su o Accour	s or im provide ich info it Repr	plied, ed bas ormat esent	regard sed on a ion. Th ative fo
	morme										1
P9	See Ene	ergy Star Qualifie	ed Notebooks &	x Tablet Compute	rs for the lates	t informa	tion:				



NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * S p ecific exemptions apply for c ertain products and a p p l i c a t i o n s.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * Thes e prov is ions shall not apply where, for safety, perform ance, medic al or data int egrity reaso ns, c ont inuit y of power su pply is necessary and requi res a permanent connection betwe en the ap pliance and the batt ery or a c c u m u l a t o r	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo (Singapore) Pte. Ltd. 151 Lorong Chuan, #02-01, New Tech Park, Singapore, 556741 (Tel - 65-6827-1000 & Fax- 65-6827-1100)

EU Declaration of Conformity

For the << E24-**, H20238FE*>> Types: << 62C7 -**-**>> 0 to 9, A to Z, a to z or blank for marketing use only)

(the * in the model na

We, Lenovo (Singapore) Pte Ltd., declare under sole responsibility that the above products, manufactured for:

Lenovo PC HK Limited. 23/F, Lincoln House, Taikoo Place 979 King's Road, Quarry Bay, Hong Kong, China

Council Directive 2014/35/EU-relating to the making available on the market of electronic equipment designed for use within certain voltage limits.

- Council Directive 2014/30/EU relating to electromagnetic compatibility.
- Council Directive 2009/125/EC and EC 1275/2008 (Class B) establishing a framework for the setting of Ecodesign requirements for Energy-related products.
- Council Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment as amended by Directive 2015/863/EU.

Conformity with these Directives has been assessed for this product by demonstrating compliance to the following harmonized standards and/or regulations:

AS/NZS CISPR32:2016, AS/NZS CISPR 32:2019 EN55032:2015+AC: 2016, EN55032:2015+A11: 2020; EN55035:2017, EN 55035:2017+A11:2020 IEC 61000-4-2:2008, IEC 61000-4-3:2006+A1:2007+A2:2010, IEC 61000-4-3:2020, IEC 61000-4-4:2012, IEC 61000-4-5:2014+A1:2017, IEC 61000-4-6:2013+AC: 2015, IEC 61000-4-8:2009, IEC 61000-4-11:2004+A1:2017, IEC 61000-4-11:2020 EN 61000-3-2:2014, EN 61000-3-3:2013, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011+A2:2013, IEC 62301:2011, EN 50564:2011, EC 1275/2008 Energy related Products (ErP) EN 50581:2012 EN 62368-1:2014+A11:2017

Signed: _ Date: 03/23/2021 Joseph Chua (Executive Director)

Place of issue: Lenovo (Singapore) Pte. Ltd.

European Contact for regulatory topics only: Lenovo (Slovakia), Landererova 12, 811 09 Bratislava, Slovakia Tel: +421 2 6868 3018

Page 1 of 1